



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

SUBCONTRACTOR AGREEMENT FORM

PERSONAL INFORMATION

Company Name		ABN	
Full Name			
Phone		Mobile	
Email			
Postal Address			
City		State	
Post Code		Country	

Home Address (If different from above)			
City		State	
Post Code		Country	

BANK ACCOUNT DETAILS

Bank		Account Name	
BSB		Account Number	

INSURANCE DETAILS (CERTIFICATES OF CURRENCY MUST BE ATTACHED)

Public Liability Insurer		Policy Number	
Insured Amount		Expiry Date	
Workcover Insurer (If Applicable)		Policy Number	
Insured Amount		Expiry Date	
Personal Accident Insurer (If Applicable)		Policy Number	
Insured Amount		Expiry Date	
Plant Insurance Insurer (If Applicable)		Policy Number	
Insured Amount		Expiry Date	

Initial Agreeing True & Correct

--



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

OPERATOR DETAILS

OPERATOR 1 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	<input type="text"/>	Mobile	<input type="text"/>
Drivers Licence No.	<input type="text"/>	License Type	<input type="text"/>
Tickets	<input type="text"/>	Ticket No.	<input type="text"/>
Blue/White Card No.	<input type="text"/>	Other Cards	<input type="text"/>
Unit #:	<input type="text"/>		

OPERATOR 2 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	<input type="text"/>	Mobile	<input type="text"/>
Drivers Licence No.	<input type="text"/>	License Type	<input type="text"/>
Tickets	<input type="text"/>	Ticket No.	<input type="text"/>
Blue/White Card No.	<input type="text"/>	Other Cards	<input type="text"/>
Unit #:	<input type="text"/>		

OPERATOR 3 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	<input type="text"/>	Mobile	<input type="text"/>
Drivers Licence No.	<input type="text"/>	License Type	<input type="text"/>
Tickets	<input type="text"/>	Ticket No.	<input type="text"/>
Blue/White Card No.	<input type="text"/>	Other Cards	<input type="text"/>
Unit #:	<input type="text"/>		

OPERATOR 4 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	<input type="text"/>	Mobile	<input type="text"/>
Drivers Licence No.	<input type="text"/>	License Type	<input type="text"/>
Tickets	<input type="text"/>	Ticket No.	<input type="text"/>
Blue/White Card No.	<input type="text"/>	Other Cards	<input type="text"/>
Unit #:	<input type="text"/>		

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TERMS & CONDITIONS OF CONTRACT

1. Insurances:

Under the terms of this agreement you are responsible for insuring all the Plant & Equipment for full comprehensive cover. You are also required to have a minimum \$20 million of public liability insurance. These insurances are to be kept current at all times. CERTIFICATES OF CURRENCIES MUST be provided to ACE PLANT HIRE. Where the sub-contractor fails to provide renewed Certificates of Currencies, Ace Plant Hire will immediately cease allocation of jobs to the sub-contractor. Tax invoices for premium payments will not be accepted as proof of cover.

2. Registration:

Your truck and machinery must carry current Qld Transport registration.

3. Fire Ants:

It is ACE PLANT HIRE company policy that we will not work in Fire Ant designated areas unless a DPI inspection number has been allocated. The DPI number will need to be quoted on the job docket and on the movement certificate for any material carted to an approved tip.

4. A.B.N:

You have to provide proof of being registered for GST to the ACE PLANT HIRE office otherwise a 48.5% withholding tax will apply.

5. Operator Tickets/Safety Induction Tickets:

The following minimum is required:

- Tickets for the operation of all the Plant & Equipment as described in your unit. For each operator.
- General Safety Induction card. (National)
- Copies MUST be supplied to ACE PLANT HIRE.

6. Customer Service:

The sub-contractor is a representative of ACE PLANT HIRE. Therefore, the sub-contractor is expected to promote customer satisfaction and in particular ensure that:


- The operator is ready to start work for the customer by the specified start time.
- The work is completed as per the customer's requirements.
- The work is completed in a timely fashion without unnecessary delays.
- Risks to persons and property are minimised.
- A "Sale Method Statement" is now required by the Qld Government to be held by all operators and their machinery. Please ask staff for more information.
- The sub-contractor will be required to cooperate fully to rectify any damage, claims, and complaints. Sub-contractors must not leave the job site at which any damage, claims or complaints have been raised without first contacting the bookings office.

7. Signage:

Full-time Sub-Contractors must display ACE PLANT HIRE signs/stickers on Trucks, Plant & Equipment whilst working for ACE PLANT HIRE customers and during the specified hours of this agreement.

Casual Sub-Contractors can display at their choice. Stickers are available free of charge.

Initial Agreeing True & Correct





admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TERMS & CONDITIONS OF CONTRACT CONT.

8. Promotion (Fulltime):

The Full-Time sub-contractor is encouraged to promote ACE PLANT HIRE and generate jobs for their equipment. This work must be booked through the ACE PLANT HIRE booking office if it is within the contracted hours. Seeking direct payment for work is not permitted on ACE PLANT HIRE jobs or to existing ACE PLANT HIRE customers and if undertaken will cause this agreement to cease immediately and may result in legal action

9. Promotion (Casual):

The CASUAL sub-contractor is encouraged to promote ACE PLANT HIRE and generate jobs for their equipment. This work can be booked through the ACE PLANT HIRE booking office, simply ask the customers to request you for the job at the time of booking. Seeking direct payment is not permitted on ACE PLANT HIRE jobs or to existing ACE PLANT HIRE customers and if undertaken will cause this agreement to cease immediately and may result in legal action.

10. Termination of this agreement:

This agreement can be terminated by either party giving one month's notice in writing. This agreement may also be terminated by ACE PLANT HIRE immediately following serious misconduct by the subcontractor. Serious misconduct includes but is not limited to WH&S requirement breaches, major damage to client's property, unsafe plant and equipment and soliciting business from ACE PLANT HIRE customers.

11. Terms and Conditions of Hire:


- **Minimum Hire Charges** – Please refer to the price list for our minimum hire charges (noted under respective sections)
- **Travel** – Travel charge is 1 hour within 30 kilometres of the Brisbane CBD, extra travel will apply outside of the 30 kilometre radius (eg: up to 45kms = 1.5 hours travel, up to 60kms = 2 hours, up to 90kms = 3 hours)
- **Carry Over Travel** – All machinery/tippers have a daily minimum 1 hour travel charge (extra travel applies if outside the 30kms radius). For long term work please contact ACE to arrange a reduced carry over travel agreement prior to commencement. Plant 13T and above will incur a float charge.
- **Penalty Rates** – Penalty Rates of an additional \$35 + GST per hour will apply for Sundays, Public Holidays and Night Work between 6.00pm to 6am.
- **Toll Charges** – Toll Charges may be incurred to and from tip sites (should you wish for the drivers not to use tolls please let them know) toll charges incurred whilst tipping are charged to customers.
- **Tip Fees** – Tip Fees Charged to ACE Account will incur a surcharge. Customers are welcome to pay

12. Cancellations:

Cancellations must be called through to the office a minimum of one hour before scheduled start time to prevent charges being incurred.

- If the job is cancelled on route to site or upon arrival (machines still loaded) and ACE is unable to source another job for the subcontractor a minimum hire charge will apply. If ACE is able to source another job for the subcontractor a travel charge will apply.

Initial Agreeing True & Correct





admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TERMS & CONDITIONS OF CONTRACT CONT.

- If the job is cancelled after the start time and the machines have been unloaded then a minimum hire charge will apply
- If the machinery/truck remain on site after the start time for any specific reason out of ACE's control and the job is cancelled then a minimum hire charge will apply
- **Disputes** – Disputes may not be recognised unless received on same day of completion of work. All disputes must be emailed to admin@aceplanthire.com.au for resolution.
- **COD Customers** - Credit Card details, email address & ABN must be supplied for all COD jobs for payment at the end of each day.
- **Replacement Post Hole Borer** - Teeth and Pilots may be charged if wear is excessive.
- **Rollers** – Rollers need to be returned fully fuelled or fuel charges will be incurred.
- **Stand Down Rates** – Minimum hire charges may apply should the subcontractor be unable to remove their machinery off site for any reason outside of ACE's control.

13. Tip Fees:

All operators must check with the bookings office as to where to take loads to tip unless instructed by the Customers on site. All tip fees must go on ACE PLANT HIRE account while working for an ACE PLANT HIRE SERVICES company, unless the customer request to use their account. Please check your job text also for tip instructions.

14. Commissions:

All docket and invoice hours are at your agreed commission rate of 12%

15. All Dockets must be Filled in Completely:

If you require a sheet on how to fill them in please contact the office.


16. Approaching M&K Customers:

Approaching ACE customers that you may have subcontracted to while with the ACE team is not acceptable and has legal ramifications.

17. Marking Services:

The subcontractor shall assist the Hirer whenever practical to clearly mark the exact location and identify all services above and below ground at the Site, including, but not limited to drains, pipes, sewers, mains, telephone and data cables, to enable the subcontractor's equipment operator to prevent damage to all such services. These plans can be requested from the DBYD (Dial Before You Dig) website at www.dialbeforeyoudig.com.au or phone 1100.

Initial Agreeing True & Correct





admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

PAYMENT OPTIONS

Casual Subbies:

- **12% Commission.** Paid 30-45 days from end of month for account customers. Paid the following Friday from job date for COD Customers (if invoice has been received).

I, hereby agree to the conditions of the 12% Commission option.

Your unit will be allocated jobs by the ACE PLANT HIRE booking office on a daily basis. If you haven't received a job message for the following day, please text the ACE bookings mobile to note your availability. You must keep the office informed if there are any problems with the listed equipment you normally have available to ACE. As a casual sub-contractor you are part of the ACE PLANT HIRE SERVICES PTY LTD team and your equipment must be available during the contracted hours.

I, hereby agree that by signing this document I have read and agree with all Terms and Conditions.

EXECUTED BY

Sub-Contractor

This agreement is to remain confidential between ACE PLANT HIRE SERVICES PTY LTD and the above signed subcontractor.

WITNESS

ACE PLANT HIRE

Dated

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

PLANT EQUIPMENT DETAILS (UNIT 1)

SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

EXCAVATOR

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Dig Depth (Excavator)	<input type="text"/>
Make	<input type="text"/>	Max Auger Depth (Excavator)	<input type="text"/>
Model	<input type="text"/>	Operated by	<input type="text"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Rockbreaker ☐ Ripper ☐ Grab ☐ Rubber Tracks ☐ Cab Off ☐ Knuckle Boom
☐ Compaction Wheel ☐ Tilt Batter Bkt ☐ Pallet Forks ☐ Extension Bar ☐ Zero Swing
☐ Knuckle Boom ☐ Anti Burst Valves ☐ Power Tilt Head ☐ Enclosed Cab ☐ No Tag
☐ Sleeper Grab ☐ Hand-held laser level ☐ GPS ☐ Height Limiter ☐ Trencher

<input type="checkbox"/> Auger/Borers	Sizes	<input type="text"/>
<input type="checkbox"/> Auger Extension	Size	<input type="text"/>
<input type="checkbox"/> Rock Augers	Sizes	<input type="text"/>
<input type="checkbox"/> Clean-out Buckets	Size	<input type="text"/>
<input type="checkbox"/> Buckets	Sizes	<input type="text"/>
<input type="checkbox"/> Batter Buckets	Size	<input type="text"/>
<input type="checkbox"/> Batter Blades/Bladed Buckets	Size	<input type="text"/>
<input type="checkbox"/> Tilt Batter Bucket	Size	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

BOBCAT

Machine	<input type="text"/>	Width	<input type="text"/>
Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Auger Depth (Bobcat)	<input type="text"/>
Make	<input type="text"/>	Operated by	<input type="text"/>
Model	<input type="text"/>	POSI TRACK	<input type="radio"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

<input type="radio"/> Spreader Bar	<input type="radio"/> Pallet Forks	<input type="radio"/> Broom	<input type="radio"/> Profiler	<input type="radio"/> Power Rake	<input type="radio"/> Teeth On Bucket
<input type="radio"/> Borers On Bobcat	Sizes	<input type="text"/>			
<input type="radio"/> Auger Extension	Size	<input type="text"/>			
<input type="radio"/> Tilt Bucket	Sizes	<input type="text"/>			
<input type="radio"/> 4 In 1 Bucket	Notes	<input type="text"/>			
<input type="radio"/> Trencher	Size	<input type="text"/>			

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TRUCKS/WATER TRUCK

Truck	<input type="text"/>	Capacity (Tipper)	<input type="text"/>
Size	<input type="text"/>	Capacity (Dog Trailer)	<input type="text"/>
Rego No.	<input type="text"/>	Capacity (Water Truck)	<input type="text"/>
Make	<input type="text"/>	Model	<input type="text"/>
Ground to top of bin height	<input type="text"/>		

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Cab Over ☐ Alloy Body ☐ Steel Body ☐ Low Sided ☐ Mud Locks ☐ Diff Locks
☐ Swinging Tailgate ☐ Pintle Hook ☐ Can Tip Into Paver ☐ Cannon ☐ Front Sprayers
☐ Rear Sprayers ☐ Standpipe

Standpipe

Stand Pipe Region:

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

PLANT EQUIPMENT DETAILS (UNIT 2)

SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

EXCAVATOR

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Dig Depth (Excavator)	<input type="text"/>
Make	<input type="text"/>	Max Auger Depth (Excavator)	<input type="text"/>
Model	<input type="text"/>	Operated by	<input type="text"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Rockbreaker ☐ Ripper ☐ Grab ☐ Rubber Tracks ☐ Cab Off ☐ Knuckle Boom
☐ Compaction Wheel ☐ Tilt Batter Bkt ☐ Pallet Forks ☐ Extension Bar ☐ Zero Swing
☐ Knuckle Boom ☐ Anti Burst Valves ☐ Power Tilt Head ☐ Enclosed Cab ☐ No Tag
☐ Sleeper Grab ☐ Hand-held laser level ☐ GPS ☐ Height Limiter ☐ Trencher

<input type="checkbox"/> Auger/Borers	Sizes	<input type="text"/>
<input type="checkbox"/> Auger Extension	Size	<input type="text"/>
<input type="checkbox"/> Rock Augers	Sizes	<input type="text"/>
<input type="checkbox"/> Clean-out Buckets	Size	<input type="text"/>
<input type="checkbox"/> Buckets	Sizes	<input type="text"/>
<input type="checkbox"/> Batter Buckets	Size	<input type="text"/>
<input type="checkbox"/> Batter Blades/Bladed Buckets	Size	<input type="text"/>
<input type="checkbox"/> Tilt Batter Bucket	Size	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

BOBCAT

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Dig Depth (Excavator)	<input type="text"/>
Make	<input type="text"/>	Max Auger Depth (Excavator)	<input type="text"/>
Model	<input type="text"/>	Operated by	<input type="text"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

☐ Spreader Bar ☐ Pallet Forks ☐ Broom ☐ Profiler ☐ Power Rake ☐ Teeth On Bucket

<input type="checkbox"/> Borers On Bobcat	Sizes	<input type="text"/>
<input type="checkbox"/> Auger Extension	Size	<input type="text"/>
<input type="checkbox"/> Tilt Bucket	Sizes	<input type="text"/>
<input type="checkbox"/> 4 In 1 Bucket	Size	<input type="text"/>
<input type="checkbox"/> Trencher	Sizes	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TRUCKS/WATER TRUCK

Truck	<input type="text"/>	Capacity (Tipper)	<input type="text"/>
Size	<input type="text"/>	Capacity (Tipper)	<input type="text"/>
Rego No.	<input type="text"/>	Capacity (Water Truck)	<input type="text"/>
Make	<input type="text"/>	Model	<input type="text"/>
Ground to top of bin height	<input type="text"/>		

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Cab Over ☐ Alloy Body ☐ Steel Body ☐ Low Sided ☐ Mud Locks ☐ Diff Locks
☐ Swinging Tailgate ☐ Pintle Hook ☐ Can Tip Into Paver ☐ Cannon ☐ Front Sprayers
☐ Rear Sprayers ☐ Standpipe

Standpipe

Stand Pipe Region:

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

PLANT EQUIPMENT DETAILS (UNIT 3)

SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

EXCAVATOR

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Dig Depth (Excavator)	<input type="text"/>
Make	<input type="text"/>	Max Auger Depth (Excavator)	<input type="text"/>
Model	<input type="text"/>	Operated by	<input type="text"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Rockbreaker ☐ Ripper ☐ Grab ☐ Rubber Tracks ☐ Cab Off ☐ Knuckle Boom
☐ Compaction Wheel ☐ Tilt Batter Bkt ☐ Pallet Forks ☐ Extension Bar ☐ Zero Swing
☐ Knuckle Boom ☐ Anti Burst Valves ☐ Power Tilt Head ☐ Enclosed Cab ☐ No Tag
☐ Sleeper Grab ☐ Hand-held laser level ☐ GPS ☐ Height Limiter ☐ Trencher

<input type="checkbox"/> Auger/Borers	Sizes	<input type="text"/>
<input type="checkbox"/> Auger Extension	Size	<input type="text"/>
<input type="checkbox"/> Rock Augers	Sizes	<input type="text"/>
<input type="checkbox"/> Clean-out Buckets	Size	<input type="text"/>
<input type="checkbox"/> Buckets	Sizes	<input type="text"/>
<input type="checkbox"/> Batter Buckets	Size	<input type="text"/>
<input type="checkbox"/> Batter Blades/Bladed Buckets	Size	<input type="text"/>
<input type="checkbox"/> Tilt Batter Bucket	Size	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

BOBCAT

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Auger Depth (Bobcat)	<input type="text"/>
Make	<input type="text"/>	Operated by	<input type="text"/>
Model	<input type="text"/>	POSI TRACK	<input type="radio"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

☐ Spreader Bar ☐ Pallet Forks ☐ Broom ☐ Profiler ☐ Power Rake ☐ Teeth On Bucket

<input type="radio"/> Borers On Bobcat	Sizes	<input type="text"/>
<input type="radio"/> Auger Extension	Size	<input type="text"/>
<input type="radio"/> Tilt Bucket	Sizes	<input type="text"/>
<input type="radio"/> 4 In 1 Bucket	Size	<input type="text"/>
<input type="radio"/> Trencher	Sizes	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TRUCKS/WATER TRUCK

Truck	<input type="text"/>	Capacity (Tipper)	<input type="text"/>
Size	<input type="text"/>	Capacity (Dog Trailer)	<input type="text"/>
Rego No.	<input type="text"/>	Capacity (Water Truck)	<input type="text"/>
Make	<input type="text"/>	Model	<input type="text"/>
Ground to top of bin height	<input type="text"/>		

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Cab Over ☐ Alloy Body ☐ Steel Body ☐ Low Sided ☐ Mud Locks ☐ Diff Locks
☐ Swinging Tailgate ☐ Pintle Hook ☐ Can Tip Into Paver ☐ Cannon ☐ Front Sprayers
☐ Rear Sprayers ☐ Standpipe

Standpipe

Stand Pipe Region:

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

PLANT EQUIPMENT DETAILS (UNIT 4)

SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

EXCAVATOR

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Dig Depth (Excavator)	<input type="text"/>
Make	<input type="text"/>	Max Auger Depth (Excavator)	<input type="text"/>
Model	<input type="text"/>	Operated by	<input type="text"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Rockbreaker ☐ Ripper ☐ Grab ☐ Rubber Tracks ☐ Cab Off ☐ Knuckle Boom
☐ Compaction Wheel ☐ Tilt Batter Bkt ☐ Pallet Forks ☐ Extension Bar ☐ Zero Swing
☐ Knuckle Boom ☐ Anti Burst Valves ☐ Power Tilt Head ☐ Enclosed Cab ☐ No Tag
☐ Sleeper Grab ☐ Hand-held laser level ☐ GPS ☐ Height Limiter ☐ Trencher

<input type="checkbox"/> Auger/Borers	Sizes	<input type="text"/>
<input type="checkbox"/> Auger Extension	Size	<input type="text"/>
<input type="checkbox"/> Rock Augers	Sizes	<input type="text"/>
<input type="checkbox"/> Clean-out Buckets	Size	<input type="text"/>
<input type="checkbox"/> Buckets	Sizes	<input type="text"/>
<input type="checkbox"/> Batter Buckets	Size	<input type="text"/>
<input type="checkbox"/> Batter Blades/Bladed Buckets	Size	<input type="text"/>
<input type="checkbox"/> Tilt Batter Bucket	Size	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

BOBCAT

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Auger Depth (Bobcat)	<input type="text"/>
Make	<input type="text"/>	Operated by	<input type="text"/>
Model	<input type="text"/>	POSI TRACK	<input type="radio"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

<input type="radio"/> Spreader Bar	<input type="radio"/> Pallet Forks	<input type="radio"/> Broom	<input type="radio"/> Profiler	<input type="radio"/> Power Rake	<input type="radio"/> Teeth On Bucket
<input type="radio"/> Borers On Bobcat	Sizes	<input type="text"/>			
<input type="radio"/> Auger Extension	Size	<input type="text"/>			
<input type="radio"/> Tilt Bucket	Sizes	<input type="text"/>			
<input type="radio"/> 4 In 1 Bucket	Size	<input type="text"/>			
<input type="radio"/> Trencher	Sizes	<input type="text"/>			

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TRUCKS/WATER TRUCK

Truck	<input type="text"/>	Capacity (Tipper)	<input type="text"/>
Size	<input type="text"/>	Capacity (Dog Trailer)	<input type="text"/>
Rego No.	<input type="text"/>	Capacity (Water Truck)	<input type="text"/>
Make	<input type="text"/>	Model	<input type="text"/>
Ground to top of bin height	<input type="text"/>		

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Cab Over ☐ Alloy Body ☐ Steel Body ☐ Low Sided ☐ Mud Locks ☐ Diff Locks
☐ Swinging Tailgate ☐ Pintle Hook ☐ Can Tip Into Paver ☐ Cannon ☐ Front Sprayers
☐ Rear Sprayers ☐ Standpipe

Standpipe

Stand Pipe Region:

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

PLANT EQUIPMENT DETAILS (UNIT 5)

SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

EXCAVATOR

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Dig Depth (Excavator)	<input type="text"/>
Make	<input type="text"/>	Max Auger Depth (Excavator)	<input type="text"/>
Model	<input type="text"/>	Operated by	<input type="text"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Rockbreaker ☐ Ripper ☐ Grab ☐ Rubber Tracks ☐ Cab Off ☐ Knuckle Boom
☐ Compaction Wheel ☐ Tilt Batter Bkt ☐ Pallet Forks ☐ Extension Bar ☐ Zero Swing
☐ Knuckle Boom ☐ Anti Burst Valves ☐ Power Tilt Head ☐ Enclosed Cab ☐ No Tag
☐ Sleeper Grab ☐ Hand-held laser level ☐ GPS ☐ Height Limiter ☐ Trencher

<input type="checkbox"/> Auger/Borers	Sizes	<input type="text"/>
<input type="checkbox"/> Auger Extension	Size	<input type="text"/>
<input type="checkbox"/> Rock Augers	Sizes	<input type="text"/>
<input type="checkbox"/> Clean-out Buckets	Size	<input type="text"/>
<input type="checkbox"/> Buckets	Sizes	<input type="text"/>
<input type="checkbox"/> Batter Buckets	Size	<input type="text"/>
<input type="checkbox"/> Batter Blades/Bladed Buckets	Size	<input type="text"/>
<input type="checkbox"/> Tilt Batter Bucket	Size	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

BOBCAT

Machine	<input type="text"/>	Width	<input type="text"/>
(Factory) Weight	<input type="text"/>	Height	<input type="text"/>
Rego No.	<input type="text"/>	Max Auger Depth (Bobcat)	<input type="text"/>
Make	<input type="text"/>	Operated by	<input type="text"/>
Model	<input type="text"/>	POSI TRACK	<input type="radio"/>

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

☐ Spreader Bar ☐ Pallet Forks ☐ Broom ☐ Profiler ☐ Power Rake ☐ Teeth On Bucket

<input type="radio"/> Borers On Bobcat	Sizes	<input type="text"/>
<input type="radio"/> Auger Extension	Size	<input type="text"/>
<input type="radio"/> Tilt Bucket	Sizes	<input type="text"/>
<input type="radio"/> 4 In 1 Bucket	Size	<input type="text"/>
<input type="radio"/> Trencher	Sizes	<input type="text"/>

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au
539 Redland Bay Road, Capalaba 4157 QLD
Tel: 0468 920 887

TRUCKS/WATER TRUCK

Truck	<input type="text"/>	Capacity (Tipper)	<input type="text"/>
Size	<input type="text"/>	Capacity (Dog Trailer)	<input type="text"/>
Rego No.	<input type="text"/>	Capacity (Water Truck)	<input type="text"/>
Make	<input type="text"/>	Model	<input type="text"/>
Ground to top of bin height	<input type="text"/>		

PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

- ☐ Cab Over ☐ Alloy Body ☐ Steel Body ☐ Low Sided ☐ Mud Locks ☐ Diff Locks
☐ Swinging Tailgate ☐ Pintle Hook ☐ Can Tip Into Paver ☐ Cannon ☐ Front Sprayers
☐ Rear Sprayers ☐ Standpipe

Standpipe

Stand Pipe Region:

EXTRA INFO

Initial Agreeing True & Correct



admin@aceplanthire.com.au

539 Redland Bay Road, Capalaba 4157 QLD

Tel: 0468 920 887